

A.— Sri VEERENDRA PATIL (Minister for Public Works).—

(a) No.

(b) Does not arise.

Sri D. PARAMESHWARAPPA.—Is there any proposal before Government to raise this Tunga Anicut by 8 ft. ?

†Sri VEERENDRA PATIL.—Sir, there is a proposal to raise the level of Tunga anicut i.e., we are just examining the possibility of impounding more water by fixing the crest gates; that is under investigation.

Sri D. PARAMESHWARAPPA.—If that proposal is going to materialise, will the Government think of constructing a feeder channel from Tunga anicut to Sowlang a tank to that it may irrigate more and more acres in Honnali taluk ?

Sri VEERENDRA PATIL.—From the study of the topo sheet, it is revealed that this tank which referred to by the hon. member is at a higher level and the level would not permit.

Mr. SPEAKER.—Question hour is over.

PANEL OF CHAIRMEN

Mr. SPEAKER.—I have an announcement to make. Under rule 9 of the Rules of Procedure and Conduct of Business in the Mysore Legislative Assembly the following members will form the panel of Chairmen for the current session :

Smt. Basavarajeswari

Sri S. D. Kothavale

Sri M. Nagappa

Sri K. M. Thammiah

2-00 P.M.

Members' Representation

ಶ್ರೀ ಪಿ. ವಿ. ಐತಾಳ (ನೂರತ್ನಲ).—ರೂಲ್ 177 ಪ್ರಕಾರ ನಾನು ಒಂದು ಪ್ರಿವಿಲೇಜ್ ಮೋಷನ್ ಕಳಿಸಿದ್ದೇನೆ, ಅದನ್ನು ಗಮನಕ್ಕೆ ತರುತ್ತೇನೆ.

Mr. SPEAKER.—The member will kindly read that rule.

Sri P. V. AITHALA.—“ A member may, with the consent of the Speaker, raise a question...”

Mr. SPEAKER.—Has the member obtained the consent of the Speaker.

Sri P. V. AITHALA.—I am asking for it.